

Suncity Metals & Tubes

Stainless Steel Pipes | Sheets | Coils | Circles | Fittings

FORGED FOR PROGRESS

FROM THE PEN OF OUR PROMOTERS

The story of Sun City Sheets begins in the year 1992, when imported steel products dominated the market. Commencing our operations as a small unit with a handful of employees we have today prospered into a company with 1000+ team members, and touching a multitude of businesses around the world.

Escalating in the ranks of the markets with swiftness & good practices, Suncity has today become a name that signifies trust & reliability in the steel industry and is considered a pioneer in bringing favorability for Indian products in global markets. With the trust of our customers, combined with our expertise, we have staged ourselves as the #1 player in India for our high-quality steel pipes, coils, circles & sheets. In global markets, we export to some of the biggest & renowned names, through our strong and widespread network of dealers & distributors.

Being a premier player in the business, the onus is always on us to ensure the delivery of not just world-class products, but to also lead by example and be the champion of responsible business operations. It is with this in mind that we have imbibed the concept of 'collective corporate good' in our ethos. Using this ideology, we have carefully created programs that help us consciously give back to the communities that we have grown. At the same time, we have undertaken continuous internal improvements to enhance the quality of our employees, by giving them a safe, healthy & nurturing work environment.

We are growing exponentially! And in this growth, we would like to take this opportunity to thank our brilliant team of seasoned professionals for their contributions in every aspect of our business. We'd like to thank our stakeholders, for trusting us, and making us their preferred purveyor of steel products. It is with such massive support that we are driven to be a company that offers products Forged For Progress.



Suncity Metals & Tubes FORGING A FUTURE MADE OF STEEL

Suncity is a premier manufacturer of brilliantly engineered steel products, that are known for their robust built, durability & quality across the world. For over 25 years, we have consistently escalated in the ranks of market as the preferred partner for a multitude of industries like Furniture, Kitchenware, Automobile & Ancillaries, Heat Exchanger, Condenser, Railways, Chemical, Pharma, Oil and Gas, Automobile, Furniture etc.

Our strength lies in 2 of our state-of-the-tech industrial campuses, spread across a collective 50 acres, in Jodhpur & Mundra. These lean & scalable facilities are outfitted with the latest line of equipment, with an annual production capacity of 1,00,000 Metric Tons, and the capability to fulfill turnkey requirements of clients. Our forte has further augmented since our game changing facility, which is crowned to be one of India's largest steel plants, has come into existence. This advanced establishment is designed to reimagine industry paradigms, and is estimated to run at a production capacity of 3,00,000 Metric Tons annually.

Our high-class capabilities are further enhanced by our segregated units of quality assurance, maintenance, stores, commercial, management and personnel departments. These departments collectively ensure that all aspects of our business operate with maximum efficiency & effectiveness, 24x7, 365 days.

Suncity Group has mushroomed from a small group of committed individuals to a massive organisation that is powered by passionate and inspired members of the society.



🔗 Mission

To remain at the pinnacle of the steel industry as its premier player, by continuing to be steadfast on our principles of sustainability, transparency & quality in every aspect of our business.



- To become the preferred purveyor of steel products globally
- To add value in business of our clients through our products
- To continue harnessing the power of technology in every business process
- To lead the change by inculcating sustainable practices





Suncity Sheets Pvt. Ltd. is India's fastest growing manufacturer of high quality stainless steel ERW / NB pipes which are used in various applications across various sectors. Our diverse range of industrial Piping is being manufactured by using optimum quality of raw material and contemporary technology to meet the definite industrial standards.

Product Parameters

Outer Diameter 21.34mm – 323.8 mm NB Range 1/2" NB - 56" NB

Speicifcations ASTM A312/ SA312, A778, DIN, EN. Austentic Grade 304/304L, 316/316L. etc THickness 1.65mm - 9.53 mm Length upto 12 meters

Application Oil and Gas Industry, Chemical, Pharmaceutical, Paper mills, Sugar mills, Power plants, etc.

Weight Chart / Meter

DN	NPS Desig	OD		SCH 5S			SCH 10S		SCH 20S	SCH 40S		
DN		IN	мм	Thk. MM	Weight Kg/Mtr							
6	1/8	0.405	10.29	1.00	0.23	1.24	0.28	1.50	0.33	1.73	0.37	
8	1/4	0.540	13.72	1.20	0.37	1.65	0.49	2.00	0.76	2.24	0.64	
10	3/8	0.675	17.15	1.20	0.47	1.65	0.63	2.00	1.09	2.31	0.87	
15	1/2	0.840	21.34	1.65	0.81	2.11	1.02	2.30	1.54	2.77	1.29	
20	3/4	1.050	26.67	1.65	1.05	2.11	1.30	2.50	1.97	2.87	1.71	
25	1	1.315	33.40	1.65	1.03	2.77	2.13	2.50	2.94	3.38	2.54	
32	1.1/4	1.660	42.16	1.65	1.65	2.77	2.73	3.00	3.39	3.56	3.44	
40	1.1/2	1.900	48.26	1.65	1.93	2.77	3.11	3.00	4.300	3.68	4.11	
50	2	2.375	60.33	1.65	2.40	2.77	3.99	3.00	6.08	3.91	5.52	
65	2.1/2	2.875	73.03	2.11	3.70	3.05	5.26	3.50	8.49	5.16	8.77	
80	3	3.500	88.90	2.11	4.51	3.05	6.45	4.00	9.76	5.49	11.47	
100	4	4.500	114.30	2.11	5.85	3.05	8.36	4.00	12.35	6.02	16.07	
125	5	5.563	141.30	2.77	9.50	3.40	11.60	4.50	17.04	6.55	21.08	
150	6	6.625	168.28	2.77	11.35	3.40	13.82	5.00	22.38	7.11	28.68	
200	8	8.625	219.08	2.77	14.80	3.76	20.00	5.50	33.77	8.18	43.18	
250	10	10.750	273.05	3.40	22.61	4.19	27.80	6.35	42.35	9.27	60.31	
300	12	12.750	323.85	3.96	31.25	4.57	36.00	6.35	50.40	9.53	73.84	

FORMULA – [O.D (mm) – Thickness (mm)] X Thickness (mm) x 0.02475 = Wt. in running meter









Suncity Sheets Pvt. Ltd. is one of the most trusted manufacturer, exporter, stock holder and supplier of a qualitative range of Stainless Steel Welded Tubes that are being manufactured as per the various standards. Relatively known for high corrosion resistance, excellent weld ability and matchless quality, our Stainless Steel Welded Tube are designed to meet the needs of multiple industries across diverse sectors.

Product Parameters

Outer Diameter 9.52 mm – 127 mm

Speicifcations

ASTM A/SA 249, A269, SA789, DIN, EN, ASTM A554

THickness 0.6 mm – 4.00 mm

Austentic Grade

304/304L,316/316L,316TI, (EN 1.4462), 32750 (EN 1.4410) & 202

Length upto 12 meters

Application

Chemical industries, Pharmaceutical, Sugar Mills, Industrial Equipment Manufacturer, Construction & Structure, Furniture, etc.

Weight Chart / Meter

o	D	10		12		14		16		18		20		22		
Inch	мм	(3.25 Thk)	(3.40 Thk)	(2.64 Thk)	(2.76 Thk)	(2.03 Thk)	(2.08 Thk)	(1.62 Thk)	(1.65 Thk)	(1.22 Thk)	(1.24 Thk)	(1.91 Thk)	(0.889 Thk)	(0.71 Thk)	(0.71 Thk)	
inch	14101		Weight Per mtr													
3/8"	9.52						0.38	0.39	0.32	0.25	0.258	0.17	0.19	0.16	0.16	
1/2"	12.7			0.665	0.668	0.54	0.55	0.45	0.45	0.35	0.35	0.235	0.26	0.21	0.21	
5/8*	15.87			0.875	0.908	0.70	0.72	0.58	0.58	0.447	0.456	0.34	0.33	0.27	0.27	
3/4"	19.05	1.29	1.33	1.09	1.13	0.86	0.89	0.7	0.72	0.544	0.555	0.41	0.404	0.32	0.32	
1'	25.4	1.8	1.87	1.51	1.57	1.19	1.23	0.96	0.98	0.74	0.75	0.56	0.546	0.44	0.44	
1-1/4"	31.75	2.32	2.42	1.93	2.01	1.51	137	1.23	1.24	0.93	0.95	0.7	0.687	0.55	0.55	
1-1/2"	38.1	2.84	2.96	2.35	2.45	1.84	1.9	1.48	1.51	1.13	1.15	0.85	0.828	0.66	0.66	
2'	50.8	3.97	4.04	3.19	3.33	2.48	237	2	2.03	1.51	1.54	1.14	1.11	0.89	0.89	
2-1/2"	63.5	4.91	5.12	4.03	4.21	3.13	3.24	2.52	2.56	1.9	1.94					
3"	76.2	5.94	6.02	4.87	5.09	3.77	3.91	3.03	3.08	2.29	2.34					
3-1/2"	88.9	6.97	7.29	5.7	5.97	4.42	4.58	3.55	3.61	2.67	2.73					
4'	101.6	8.01	8.37	6.54	6.85	5.07	5.25	4.07	4.13	3.06	3.13					
5'	127	10.06	10.51	8.21	8.58	6.34	6.5	5.08	5.17	3.84	3.9					

Formula [O.D (mm) – Thickness (mm)] X Thickness (mm) X 0.02475 = Wt. in running meter



PRODUCT Stainless Steel EFW Pipe



We at Suncity, manufacturing SS EFW (Electric Fusion Welded) pipes and these are widely used in Petrochemical Industries, Power plant & Nuclear Industries, Construction Industries, Textile, Fertilizer Industries.

Product Parameters

<mark>Outer Diameter</mark> 219.10 mm - 1422 mm

Speicifcations ASTM A358 (Class 1, Class 2, Class 3, Class 4 & Class 5) Thickness 4.15 mm - 45 mm

Austentic Grade 304/304L, 316 / 316L Length upto 12 meters

Application

Petrochemical Industries, Power Plant & Nuclear Industries, Construction Industries, Textile, Fertilizer Industries, etc.

Weight Chart / Meter

Designation of Diameter	O/D	Nominal Wall Thickness										
(A)	DIA	SCH.5S		SCH.10S		SCH.40S		SCH 805		SCH.160		
	Meter MM	Wall Thk	Weight Kg/Mtr	Wall Thk	Weight Kg/Mtr	Wall Thk	Weight Kg/Mtr	Wall Thk	Weight Kg/Mtr	Wall Thk	Weight Kg/Mtr	
8"	219,10	2.77	14.83	3.76	20.04	8.18	42.70	12.70	64.88	23.01	111.67	
10"	273.10	3.40	22.70	4.19	27.89	9.27	60.53	12.70	81.85	28.58	172.96	
12"	323.90	3.96	31.36	4.57	36.12	9.53	74.15	12.70	97.82	33.32	239.63	
14"	355.60	3.96	34,46	4.78	41.50	9.53	81.63	12.70	107.78	35.71	282.73	
16"	406.40	4.19	41.71	4.78	47.51	9.53	93.61	12.70	123.75	40.49	366.69	
18"	457.20	4.19	46.98	4.78	53.52	9.53	105.59	12.70	139.72	45.24	461.27	
20"	508.00	4.78	59.53	5.54	68.89	9.53	117.57	12.70	155.69			
22"	559.00	4.78	65.57	5.54	75.89	9.53	129.60	12.70	171.72			
24"	610.00	5.54	82.88	6.35	94.87	9.53	141.63	12.70	187.75			
26"	660.40	6.35	102.79	7.92	127.90	9.53	153.52	12.70	203.59			
28"	711.00	6.35	110.74	7.92	137.82	9.53	165.45	12,70	219.49			
30"	762.00	6.35	118.76	7.92	147.81	9.53	177.48	12.70	235.52			
32"	813.00	6.35	126.78	7.92	157.81	9.53	189.51	12.70	251.55			
34"	863.60	6.35	134.73	7.92	167.73	9.53	201.45	12.70	267.46			
36"	914.40	6.35	142.71	7.92	177.69	9.53	213.43	12.70	283.43			
38"	965.20	6.35	150.70	7.92	187.65	9.53	225.41	12.70	299.39			
40"	1016.00	6.35	158.68	7.92	197.60	9.53	237.39	12.70	315.36			
42"	1066.80					9.53	249.38	12.70	331.33			
44"	1117.80					9.53	260.50	12.7	346.16			
46"	1168.40					9.53	272.25	12.7	351.82			
48"	1219.20					9.53	284.24	12.7	377.79			

FORMULA – [O.D (mm) – Thickness (mm)] X Thickness (mm) x 0.02475 = Wt. in running meter







Suncity is one of the leading manufacturers and exporters of a wide range of Stainless Steel Welded Square Pipes. Specially manufactured with latest technology and fine quality raw materials, these products are highly appreciated in the global market for superior quality, high efficiency and durability.

Product Parameters

<mark>Size</mark> 10X10 mm - 100 x 100 mm

Steel Grade

202, 304, 316

Thickness 0.6 mm – 4.0 mm

Surface Finish 240G, 320G, 400G, 600G, 800G <mark>Standard</mark> ASTM A554

Length upto 12 meters

Application Infrastructure, Furniture, Engineering Industries etc.

Weight Chart / Meter

SIZE Square (MM)	0.60	0.70	0.80	0.90	1.00	1.20	1.50	2.00	2.50	3.00	4.00
10 X 10	0.18	0.21	0.24	0.27	0.29	0.35					
12.5 X 12.5	0.23	0.27	0.30	0.34	0.37	0.44	0.54				
15 X 15	0.27	0.32	0.37	0.41	0.45	0.54	0.66				
20 X 20	0.37	0.43	0.49	0.55	0.61	0.73	0.90	1.17			
25 X 25		0.54	0.62	0.70	0.77	0.92	1.14	1.49			
30 X 30		0.66	0.75	0.84	0.93	1.11	1.38	1.81			
40 X 40		0.88	1.00	1.13	1.25	1.49	1.85	2.45			
50 X 50				1.41	1.57	1.87	2.33	3.08			
60 X 60				1.70	1.89	2.26	2.81	3.72			
80 X 80				2.27	2.52	3.02	3.76	4.99	6.21	7.42	9.79

FORMULA – [4 x Side (mm) x 0.3175 – Thickness (mm)] x Thickness (mm) x 0.02475 = Wt. in running meter



PRODUCT Stainless Steel Welded Rectangular Pipes



Suncity Sheets Pvt. Ltd. is one of the distinguished manufacturers, suppliers and exporters of Stainless Steel Welded Rectangular Pipes, which is commonly used in applications with highly corrosive conditions. These products are fabricated using world class stainless steel material with the help of cutting edge technology by our skilful workers. Known for its durability, high tolerance and capability to withstand high temperature, these pipes find extensive applications in various sectors and industries.

Product Parameters

Size 10 X 20 MM TO 50 X 100 MM

Steel Grade

202, 304, 316

Thickness 0.6 mm – 4.0 mm

Surface Finish 240G, 320G, 400G, 600G, 800G <mark>Standard</mark> ASTM A554 Length upto 12 meters

Application Infrastructure, Furniture, Engineering Industries etc.


Weight Chart / Meter

SIZE Rectangle (MM)	0.60	0.70	0.80	0.90	1.00	1.20	1.50	2.00	2.50	3.00	4.00
10 x 20	0.28	0.32	0.37	0.41	0.45	0.54					
10 x 30	0.37	0.43	0.49	0.55	0.61	0.73	0.90				
10 x 40		0.54	0.62	0.70	0.77	0.92	1.14				
10 x 50			0.75	0.84	0.93	1.11	1.38				
10 x 60				0.98	1.09	1.30	1.62				
10 x 70				1.13	1.25	1.49	1.85				
20 x 30	0.47	0.54	0.62	0.70	0.77	0.92	1.14	1.49			
20 x 40	0.56	0.66	0.75	0.84	0.93	1.11	1.38	1.81			
20 x 60		0.88	1.00	1.13	1.25	1.49	1.85	2.45			
20 x 80				1.41	1.57	1.87	2.33	3.08			
25 x 50	0.71	0.82	0.94	1.05	1.17	1.40	1.73	2.29			
25 x 75				1.41	1.57	1.87	2.33	3.08			
26 x 13	0.37	0.43	0.49	0.55	0.61	0.73	0.90	1.17			
30 x 50	0.76	0.88	1.00	1.13	1.25	1.49	1.85	2.45			
35 x 60				1.41	1.57	1.87	2.33	3.08			
40 x 60				1.41	1.57	1.87	2.33	3.08	3.82	4.55	5.97
40 x 80				1.70	1.89	2.26	2.81	3.72			
50 x 110				2.27	2.52	3.02	3.76	4.99	6.21	7.42	9.79

FORMULA – [Mother O. D. (mm) – Thickness (mm)] x Thickness (mm) x 0.02475 = Wt. in running meter Mother O. D. – [{Length (mm) + Width (mm)} x 2 x 0.3175]







We Suncity Sheets Pvt. Ltd. are a leading manufacturer of Stainless Steel Welded Oval Pipes and Tubes in various lengths and diameters for meeting the requirement of diverse industrial segments. The strength and durability of our Oval Pipes & Tubes makes them foremost choice of customers based across the globe

Product Parameters

Size 33 X 13 mm

Steel Grade 200 Series / 300 Series Thickness 0.9 mm - 1.5 mm

Surface Finish 240G, 320G, 400G, 600G, 800G Standard ASTM A554 Length upto 7 meters

Application Construction & Decorative, Furniture, Engineering etc.

Stainless Steel Slotted Pipe

We are manufacturing SS Slotted pipes which are used in several sectors like

We are manufacturing SS Slotted pipes which are used in several sectors like Structural & Decorative Application, Engineering & Furniture Industries.

Product Parameters

Size

Steel Grade

50.80 mm - 15x15 mm 40x40 mm - 15x15 mm 50x50 mm - 15x15 mm

200 Series / 300 Series

Thickness 0.9 mm - 2 mm

Surface Finish 240G, 320G, 400G, 600G, 800G Standard ASTM A554

Length upto 7 meters

Application

Structural & Decorative Application, Engineering & Furniture Industries.



PRODUCT Stainless Steel Buttweld Pipe Fittings



Product Parameters

Wall Thickness Sch. 10S & Sch. 40S OD (Size) 1/2" NB to 16" NB Austenitic Grade 304 / 304L 316 / 316L, etc,

Dimensions ASME / ANSI B16.9 Specification ASTM A 403

Stainless Steel Circles



Suncity offers a wide range of stainless steel circles that are in compliance with the industry standards. They are manufactured using high quality steel and are available in different grades, shapes and sizes. High tensile strength, corrosion resistant and fine finish are some of the attributes our Stainless steel circles possess.

Product Parameters

Thickness 0.19 mm – 2 mm

Steel Grade 200 Series, 300 Series Width 94 mm to 812.8 mm

Surface Finish 2B, No. 4 Application Kitchenware, Sanitaryware, etc.

FORMULA – Diameter (mm) X Diameter (mm) x Thickness (mm) / 160000 = Weight in kg







We are acknowledged as one of the most reputed Stainless Steel sheets exporters in the global market. Our technically advanced Sheet packets are intended to serve various industries across diverse sectors.

Product Parameters

Thickness 0.60 mm - 12.00 mm

Steel Grade 200 Series, 300 Series Width 850MM, 1000 mm, 1250 mm & 1500 mm

Surface Finish 2B, no 4, no 6 Standard ASTM A240

Application Fabrication, Elevators, Railways, Furniture etc.

Stainless Steel Slitted Coils



Suncity Sheets Pvt. Ltd. has a recognised name in the industry for stainless steel slitted coils. We have the latest technology machinery to guarantee the edge quality of stainless steel slitting coils. Our stainless steel slitting always involve minimum burr, minimum camber and maximum flatness.

Product Parameters

Thickness 0.20 mm - 10.00 mm Width 1250 mm Standard ASTM A240


<mark>Steel Grade</mark> 200 Series, 300 Series Surface Finish 2B, BA

Application Railway, Fabrication Industries, Pipe Industries etc.



PROCE**SS** The Manufacturing Procedure


Stainless steel product manufacturing is in our blood at Suncity Group. We follow state-of-the-art international practices to produce our pipes, tubes, circles, coils, sheets and fittings.







Process Flow Chart for ERW Pipes & Tubes



Process Flow Chart For EFW Pipe





PROCESS Quality Control and Faclity

Suncity has a well-equipped testing laboratory to carry out metallurgical and mechanical tests ensuring the highest standards in output delivery.

Destructive Testing



FLARING TEST

The test is conducted to establish the forming behavior of pipes & tubes which are expanded to a certain deg.

FLATTENING TEST

This test is conducted to check the strength of the welded section subjecting it to extreme compression stress.

REVERSE FLATTENING TEST

This test is to ensure that there are no cracks or blowholes on the welded section of the pipes.

HARDNESS TEST

The hardness is the ability of a material to resist the pressing of a harder material into its surface. According to different test methods and adaptation range, pipe hardness has different units, brinell hardness is one of them.

IGC TEST PRACTICE AF B, C & E

It is mainly used as a screening test for testing the intercrystalline corrosion of austenitic stainless steel. It is suitable for testing the intergranular corrosion of some high molybdenum nickel base alloys. It is suitable for testing the intergranular corrosion of copper-containing alloys.

IMPACT TEST

It is mainly used as a screening test for testing the intercrystalline corrosion of austenitic stainless steel. It is suitable for testing the intergranular corrosion of some high molybdenum nickel base alloys. It is suitable for testing the intergranular corrosion of copper-containing alloys.intergranular corrosion of copper-containing alloys.

Non Destructive Testing



Hydro

Hydrotesting of pipes, pipelines and vessels is performed to expose defective materials that have missed prior detection, ensure that any remaining defects are insignificant enough to allow operation at design pressures, expose possible leaks and serve as a final validation of the integrity of the constructed system.

Spectro

To explore hybrid composites, providing practical information such as elemental type, chemical composition, optical and electronic properties, and crystallinity.



Eddycurrent

This is the preferred method to detect small, short, incomplete welds, and some subsurface and Inside Diameter conditions in stainless steel.



PMI

Non-destructive testing (NDT) method for verifying the chemical composition of metals and alloys.



Radiograhic Testing (RT) is used to examine structure of manufactured components identifying any flaws or defect)



The Tubes & Pipes offered by us are anti-corrosive, ensile and durable made from high quality raw materials.

APPLICATION


Suncity Metals & Tubes Sheets Pvt. Ltd. has a trusted and recognized name in the stainless steel industry. We are acknowledged as one of the most reputed Stainless Steel Tubes & Pipes exporters in the global market. Our technically advanced and brilliantly designed stainless tubes and pipes are intended to serve various industries such as Furniture, Kitchenware, Automobile & Ancillaries, Heat exchanger and Fabrication, Textile and Food Industry, Railways, Industrial Engineering, Oil and Gas Industries, etc.







It stands to reason that you import superior-quality stainless steel from the very best of manufacturers. Suncity Group has extensive experience of 25 years in stainless steel manufacturing. Currently, 20-30% of our production goes for exports. We are also running amazing export initiatives that companies across the world can benefit from.



your order to meet your exact specifications.

the long journey to your factory.



Indonesia, Romania, Kuwait, Bangladesh, Hong Kong, Jordan, Australia, South Africa and USA. As a result, we are eligible for many of the Export Schemes and financial incentives offered by the Government of India. These tax breaks, rebates and incentives allow us to pass-on monetary benefits in the form of highly competitive prices to our customers.



We have been honoured with Export Excellence Award from EEPC for three consecutive years. We have also been entitled as the Star Export House by the Government of India.

Our export wing focuses on meeting the bespoke requirements of our international counterparts. Once you give us your requirements, we start custom-manufacturing

We use state-of-the-art packing machinery to package your products with care. They will be wrapped and placed in travel-hardy containers, which can withstand

We export to multiple countries including Brazil, Turkey, Sri Lanka, Malaysia, Thailand,

We work on FOB, CFR and CIF delivery models, with our nearest ports being ICD Thar Dry Port and Mundra Port. Freight rates are subject to government policies, but we strive to provide the most competitive and budget-friendly rates possible. Currently, with the Indian Railways planning a Freight Corridor construction near Jodhpur, importers will now find increased savings in the form of reduced carrier charges and shorter delivery time.

At Suncity, we offer well-insured stainless steel products with Export Standard Packaging. We accept telegraphic transfers and Letters of Credit during payment, all in USD and EURO denominations.

The Suncity Advantage

Here are some reasons to choose us as your import partners:

- Meet ISO 9001:2015 standards
- Extremely competitive pricing
- Low maintenance needs
- Complete client-company confidentiality
- > Express delivery service
- Environmentally sustainable production methodology
- State-of-the-art production capabilities







We can supply our material with well-known third-party inspection agencies like...





MUNDRA PLANT













JODHPUR PLANT













Suncity Metals & Tubes

CORPORATE OFFICE

Plot No 27A/66-68, 2nd Floor, Adarsh Society, New ITI Circle, Jodhpur, Rajasthan, India - 342001 Tel 0291-2741103 Email info@suncitysheets.com

PLANT

Jodhpur Suncity Sheets Pvt. Ltd. SP-862-864 & 866-867, IVth Phase, Boranada Industrial Area, Jodhpur, Rajasthan, India - 342012

www.suncitysheets.com

Mundra

Suncity Sheets Pvt. Ltd. 503/2, 520/P2 Guntha, Gundala Gandhidham, Mundra Hightway, Mundra (Kutch), Gujarat, India-3704